




Heavy Duty Gauges



Heavy Duty indicators are performance proven under the most demanding conditions. Major manufacturers worldwide install Faria Beede instruments as original equipment.


You can rely on our American made products quality, durability and easy installation.

Features

- Stainless steel bezels
- Anti-scratch glass lens
- Precision molded plastic cases for corrosion resistance and longevity
- Adaptable to 24 VDC systems (with optional resistor card)
- 12 volt DC negative ground
- Durable, rugged construction

Faria Beede Instruments, Inc.
P. O. Box 983
Uncasville, CT 06382
860.848.9271
Fax: 860.848.2704

88 Village Street
Penacook, NH 03303
603.753.6362
Toll-free: 800.451.8255
Fax: 603.753.6201

 Made in the USA

fm-001-0115 rev A 03/2015

www.FariaBeede.com

4" & 5" Mechanical Instruments

Operating Temperature	-22 °F to +185 ° F (-30 °C to +85 °C)
Storage Temperature	-40 °F to +221 ° F (-40 °C to +105 °C)
Lighting	See product line for specific information
Bezel	Stainless Steel
Lens	Glass
Connection	Studs
Mounting Bracket	Plastic mounting clamp. Clamping range 0 -.8" (0-20 mm)
Torque	5 to 7 inch pounds (.57 - .80 Nm)
Mounting Hole	3 3/8" (85 mm) for 4" Instrument

2" Mechanical Instruments

Operating Temperature	-22 °F to +185 ° F (-30 °C to +85 °C)
Storage Temperature	-40 °F to +221 ° F (-40 °C to +105 °C)
Lighting	See product line for specific information
Bezel	Stainless Steel
Lens	Glass
Connection	Studs
Mounting Bracket	Plastic clamp, metal on water pressure. Clamping range 0 -.8" (0-20 mm)
Torque	5 to 7 inch pounds (.57 - .80 Nm)
Mounting Hole	2 1/16" (53 mm) for 2" Instrument

Product Outline Drawing

